


# Renault KANGOO

KANGOO

Efficient, adaptable and durable











# The Renault Kangoo: Efficient, adaptable and durable

The Renault Kangoo has been specifically designed with your needs in mind, whatever your business environment. With panel vans, crew vans and fully electric versions, the Kangoo can be adapted to your every demand, offering you a wide range of tailor made and practical solutions.

## Versatile Dimensions



### Kangoo Van

Loading is made easy thanks to the low load threshold. With load volumes of up to 3.6m<sup>3</sup> Kangoo Van you'll have all the space you need.



## Kangoo Maxi Van

With load volumes of up to 4.6m³ you'll have even more space. Need to get tools and a team to site? The Maxi Crew Van has seating for 5 and still allows you to securely carry the tools you need for the job.



Kangoo Van Z.E. 33

Instant pulling power, quiet and the simplicity of never having to change gear. Kangoo Van Z.E. 33 is a pleasure to drive and is 100% electric.

		Kangoo	Kangoo Maxi	Kangoo Crew Van	Kangoo Crew Van Cab
Load Volume (m³)*		3.0 – 3.6	4.0 – 4.6	1.3 – 3.4	2.4 – 3.6
Load Length (mm)		1,476	1,862	1,008	1,361
Load Height (mm)		1,129	1,129	1,129	1,129
Wheelbase (mm)		2,697	3,081	3,081	3,081
Payload (kg) Diesel/Electric	Ĉ.	671 – 775 / 625	782 – 794 / 605	TBC / 640	TBC / 639
Trim levels	<u>Ш</u>		Business	s, Business+	
Engines	Ę1		Diesel (80hp, 95h	np, 115hp) & Electric	

<sup>\*</sup>Maximum load volumes include optional swivelling bulkhead with fold down passenger seat.

# Ready4Work by Sortimo



For professionals that need to store tools and equipment, the Ready4Work by Sortimo system arrives at your dealer fully fitted so you can get straight to work. The storage is designed specifically for Renault, so no drilling into the vehicle floor is required.



You can pick and choose from a variety of solutions, with racking on one side or both sides. The range is designed to provide professionals with a durable racking system suitable for the storage of a wide range of tools, components and accessories. For full details of what is available, please refer to the LCV Accessories brochure or ask your local dealer.

#### Construction:

- All shelves are made of steel with a load capacity of 60kg each.
- Features aluminum uprights with integrated lashing system (Prosafe system).
- Ready4Work comes with a 9mm thick protective floor with integrated anchorage points.
- The protective floor is resistant to soil and water, easy to clean, extremely scratch proof and impact-resistant
- Aluminum strips protect the door sills.

(Offside racking in not compatible with right side loading door.)



# The durable workhorse for your business

### **Case Study: Wessex Water**

The Renault Kangoo has received recognition for years from fleet customers for its adaptable and durable performance. Having a reliable fleet keeps a business moving and Wessex Water, a long term customer, have recognised this, integrating 150 Kangoo vans into their fleet to provide a service to its 2.7 million customers across the South West of England. Head of fleet, Martin Crocker, was keen to explain why he chose the Kangoo vans for Wessex Water.

### Why did you choose the Renault Kangoo Van for your fleet?

"We chose the Renault Kangoo vans because, using our framework, we think the Kangoo fits well to our requirements: good whole life costs, service and delivery, reliability of van and a supportive dealer network."

### What role do the vans play in your day to day operations?

"In our operations across Dorset, Somerset, Bristol, the majority of Wiltshire and parts of Gloucestershire and Hampshire, the vans play lots of different roles, from samplers to leakage inspectors, carrying tools and staff to the appropriate locations."

### What do you think of the features of the Kangoo?

"We have Business specification vehicles plus the additional option of R-Link is a stand out feature, it's a great addition to have on a commercial vehicle, which improves the driver experience. Kangoo offers a strong overall package and this is why we are pleased with them."

### In terms of the engine, what's your opinion of the Kangoo offering?

"We've never had any negative feedback from our drivers and the latest ENERGY dCi 75 diesel engines are more than sufficient for our purposes. The engines also don't require AdBlue® which is very useful."

### How does the Kangoo load area support your business?

"Every role in the company has a specific van to transport the appropriate amount of people and tools to the site. The Kangoo load areas fit perfectly for the operations we have. We also have racking in the back to help organise the equipment in the back of the van."



## Efficient with fuel

With our engines your business can benefit from Stop & Start technology and regenerative braking systems. Your Renault Kangoo can achieve fuel economy of up to 64.2mpg\*, helping your business minimise fuel costs.



### **EMISSION STANDARDS**

Our range of Euro 6 ENERGY engines offer high performance levels to help your business. Renault is proud to have reduced emissions\*\* in the Kangoo range with the application of the NOx trap located in your exhaust system. This means you can still receive the maximum efficiency from all our engines.



## Renault Sport Formula One Team™

Allow the technology that powers the Renault Sport Formula One Team™ to power your business!

## Your work station

The Renault Kangoo is designed in an ergonomic way to suit your everyday business needs. Our range of infotainment systems include our DAB radio with CD, MP3 and Bluetooth®\*\* (Standard on all) and our Renault R-LINK (optional) complete with 1 years TomTom® subscription.

Our full steel bulkhead, drivers airbag, Eco mode and air conditioning\* are just a few of the features available to provide you with a comfortable environment.




<sup>\*</sup>Standard on Business+

<sup>\*\*</sup>Optional

<sup>^</sup>For compatible devices, please refer to https://www.renault.co.uk/services/multimedia/bluetooth-compatibility.html

# Giving you assistance and control

Here at Renault, nothing is more important to us than your safety which is why our range of driving assistance systems is more innovative than ever and most come as standard on all our vans! From Hill Start Assist to Grip Xtend to ESC (Electronic Stability Control) we are here to help you navigate over a variety of driving scenarios, protecting both you and your load!



# Keeping you connected

### R-LINK (Optional)

Our 7" touchscreen multimedia system includes navigation with TomTom® maps (we even give you a 12 month TomTom® LIVE services subscription), DAB radio and your very own 'Eco Driving Coach' giving you handy tips to improve your driving style. With R-LINK you also have the ability to download apps from the R-LINK Store and can control the system from the screen steering wheel controls or even using voice command!



#### Main menu with 6 icons

Discover the six available menus: navigation, multimedia, telephone, vehicle information, services and applications, system settings.



#### Vehicle information

The "Eco Driving" coach gives you handy tips to improve your driving style and reduce your fuel consumption.




#### Multimedia\*

DAB/FM/AM tuner, connect devices via USB, AUX sockets or Bluetooth®.

### R&GO

Turn your smartphone or tablet into a touchscreen for your dashboard! R&GO includes 3D navigation from CoPilot®‡ and Eco driving score. Our Eco driving score includes a trip computer, a rev-counter and the ability to monitor your fuel consumption! Its free to download for compatible Android and iOS smartphones.\*





# The divide between you and your load

### Multi-positional bulkhead

If you need both crew and load space then this one is for you! You can cleverly make the most of the load length while maintaining passenger safety. When carrying crew the bulkhead sits behind the rear row of seats. When you fold the seats down the bulkhead moves forward to protect you and the front passengers.







### Full steel

Standard on all Kangoo panel vans, from top to bottom full steel to protect you and your load.



### Swivelling bulkhead

Additionally we offer an optional swivelling bulkhead with folding passenger seat; the passenger seat folds flat and the bulkhead swivels round, providing protection for the driver as well as an additional 0.6m<sup>3</sup> of load space. Simple, ingenious, and typical of our attention to detail – giving you a versatile load area.









# Cutting emissions and your costs: the Kangoo Van Z.E. 33 – 100% Electric

Our Kangoo Z.E. 33 is 100% electric, offering you the same generous load capacity of their equivalent diesel versions but with ultra-low running costs and all the benefits of owning a Renault electric vehicle. The quiet yet instant pulling power means your Kangoo Z.E. 33 is simply a pleasure to drive. From easy to charge solutions such as the wall-box\* (for home recharging) to charging stations at work or local public areas - the benefits simply keep coming.



# Driving Range

Now the Kangoo Z.E. 33 is available with the Z.E. 33 Battery giving a revolutionary WLTP\* range of 143 miles on one charge, meaning range anxiety is a thing of the past. With real life estimates of 124 miles in summer and 75 miles in winter\*\* the Kangoo Z.E. 33 is able to get you wherever you need to go with less need to recharge on the way, saving you time and money.

WLTP range*	Summer	Winter	Cost in Pence	Cost per full
(miles)	(+20°C)	(-5°C)	p/per mile <sup>†</sup>	recharge†
143	124	75	Less than 4p	Less than £5

Top tip: Need an extra boost to get home? The Kangoo charges 15-21 miles on just an hour of charge.

#### \*What is the WLTP and why the real-life range is similar to it?

Worldwide Harmonized Light Vehicles Test Procedures (WLTP), this new homologation protocol gives fuel consumption and driving range results that are much closer to real life conditions figures than the NEDC protocol. While the old NEDC test determined test values based on a theoretical driving profile, the WLTP cycle was developed using real-driving data, gathered from around the world. WLTP therefore better represents everyday driving profiles.

#### \*\*Why is the range reduced in winter?

Like all batteries, those in Z.E. vehicles are less efficient in cold weather than at warmer ambient temperatures. This means that you can expect a reduction in the range of your Renault Z.E. in the winter. Also, in winter you are more likely to use the heating, which means Kangoo Z.E. consumes more energy.



Estimated range for the Kangoo Z.E. 33

# NEDC range Summer Range Winter Range

### Choose the charging solution for you


Type of charger	Where to use it	Power required	Charging times (0-100%)	
Home	Home / Office	2.3kW/10A	17 hours	Occasional slow charging.
(3-pin plug cable)*	Home / Office	3.3kW/14A	12 hours	*Requires additional purchase of a EVSE cable.
Wallbox /	Home / Office / On the go	3.7kW	11 hours	Leaving the Kangoo to charge overnight on a 3.7kW charger
Public charging point	Home / Office / On the go	7kW	6 hours	ensures that it will be ready for when you to begin your next day.
Dublic charging point	On the go	22kW	6 hours	A standard charging time of 6 hours means your vehicle is ready
Public charging point —	On the go	43kW	6 hours	to go when you are.

Less than £5 full recharge cost, calculated by (a) electricity charges (e.on Go Online 1 Year v18) rates for payment via monthly Direct Debit as of Sept 2018) and (b) a full recharge of the 33kWh battery.

# Charging Your Kangoo Z.E. 33



CHARGING AT HOME – couldn't be easier to charge your Kangoo at home\*, just park your van, plug it in and go inside.



<sup>\*</sup> Subject to off street parking and wall-box suitability.

<sup>†</sup> WLTP figures shown are for comparability purposes; only compare figures with vehicles tested to the same technical procedures. The WLTP electric range shown has been achieved using the new (WLTP) test procedure. Figures obtained after the battery was fully charged. Actual real world driving results may vary depending on factors such as the starting charge of the battery, accessories fitted after registration, weather conditions, driving styles and vehicle load. Renault estimates average real world driving figures for this vehicle as 124 miles in summer and 75 miles in winter, depending on the factors above.

# Find the battery plan that's right for you!

### Z.E. - Full purchase

To make your Kangoo Z.E. 33 as easy as possible all Kangoo Z.E. 33's now come with the battery included.



No on-going monthly payments, just one simple payment.



Battery guarantee\* of 5 years / 60,000 miles, whichever comes first, this includes the battery performance guarantee to at least 70% of its original capacity.



No mileage limit in the battery contract.



Roadside assistance, breakdown only.



<sup>\*</sup>For full terms and conditions visit https://www.cdn.renault.com/content/dam/Renault/UK/brand-and-editorial/Aftersales/ZE-warranty-2018.pdf

# Electrifying the Eden Project

## eden project

Introducing electric vehicles into your fleet can be a daunting prospect. However, Renault has years of experience in helping businesses make a seamless transition between diesel vehicles and their electric equivalents. We are able to provide you with the products, services and unique expertise to ensure that your switch to electric is as easy as possible. Take for example, the Eden Project's fleet of nine Kangoo Z.E. panel vans and four Kangoo Z.E. Maxi Crew Van Cab vehicles. We caught up with them about their experience with their new fleet:

"The Renault electric vehicle fleet provides a clean and efficient solution to the majority of Eden's day to day vehicle needs and does so in an environmentally sustainable way," says Ian Merchant, Head of Estates at the Eden Project.

lan was keen to discuss the capabilities of the Kangoo Van Z.E. and just how easy it is to use.

### Ease of use

"The Renault electric vehicle fleet is very easy to drive and the Kangoos have very roomy and easily accessible cargo areas, especially the Kangoo Maxi Z.E. with its foldable crew cab seats. Everyone really enjoys driving the vehicles. The vehicles are responsive, comfortable and are as functional as conventional vehicles."

### Ease of charging

"We have had no difficulty in charging the vehicles. On average we charge them every two or three days. We currently have three standard charging points and the Kangoo fleet is generally charged overnight. We have not had any difficulty in charging vehicles at all. Installation of the chargers was simple."

### Ease of maintaining

"We have only had to do basic vehicle maintenance i.e. the odd light bulb change etc. These have been no more difficult than normal vehicles."



## Standard features

### **BUSINESS**





15" SCRIPT wheels





TANEGA Upholstery

#### THE BASICS:

- Electrically operated door mirrors
- Electric front windows
- Height adjustable steering wheel
- ABS with EBD (Electronic Brake Force Distribution)
- Alarm
- Height adjustable drivers seat
- Deadlocking
- R.A.I.D (Renault Anti Intruder Device)
- ESC (Electronic Stability Control) with Hill Start Assist and Grip Xtend<sup>(1)</sup>
- Front and rear disc brakes\*

#### MAKING YOUR JOURNEY COMFORTABLE:

- Central storage tray between front seats
- A4 storage in dashboard
- Manual air conditioning with pollen filter (Kangoo and Kangoo Maxi dCi 115 only)

#### WHAT YOUR VAN LOOKS LIKE:

- 15" SCRIPT wheels
- Dark grey side protection mouldings
- Front and rear dark grey bumpers
- Unglazed 180° asymmetric rear doors
- Unglazed side loading door left side (Kangoo Van) / left and right side (Kangoo Maxi)

#### PROTECTING YOU AND YOUR LOAD:

- Anchorage points in load area 6 on Kangoo and Kangoo Maxi Crew Van / 14 on Kangoo Maxi
- Spare wheel / tyre repair system (Crew Van Z.E.)
- Full steel bulkhead (Not available on Kangoo Crew Vans)

#### **KEEPING YOU CONNECTED:**

- 2x15W DAB radio with AUX input, CD, Bluetooth®† and USB connectivity
- Eco mode function
- 12V power socket (front)

#### **GOING ELECTRIC:**

- Front Z.E. charging socket
- Pre-heating function\*\*
- Standard charging cable 32A (IEC 629196 - Type 2 Mennekes) 6m
- Z.E. voice
- 15" BRIGANTIN wheels

#### CREW VAN ADDS:

- Second row of 2 passenger seats
- Interior side panel
- Folding passenger rear seat (1/3 2/3)
- Unglazed left and right side loading doors (Kangoo Z.E. Crew Van has glazed side loading doors with opening windows)
- Unglazed left and right side quarter panel
- Unglazed rear doors 180° asymetric

#### **CREW VAN CAB ADDS:**

Multipositional bulkhead

<sup>\*</sup> For ML19 ENERGY dCi 80 and dCi 95 versions rear drum brakes are fitted as standard. \*\*Requires R-link. (1) No Grip Xtend on Kangoo Z.E.

<sup>†</sup> For compatible devices, please refer to https://www.renault.co.uk/services/multimedia/bluetooth-compatibility.html


## Standard features

### **BUSINESS+ (additional equipment to Business)**





15" BRIGANTIN wheels







#### MAKING YOUR JOURNEY COMFORTABLE:

- Electrically operated and folding door mirrors
- Electric front windows (driver's side one-touch descending)
- Centre console with armrest
- Overhead parcel shelf
- Load area rubber floor covering
- Manual air conditioning and pollen filter
- Rear parking sensors

#### PROTECTING YOU AND YOUR LOAD:

- 15" BRIGANTIN wheels
- Front and rear body coloured bumpers and gloss black wing mirrors

## Colours



MINERAL WHITE (1)
(QNG)



CARMEN RED (1) (719)



URBAN GREY (1) (KPW)



JET BLACK (2) (GND)



MOCHA (2) (CNB)



HIGHLAND GREY (2) (KQA)



OYSTER GREY (2) (KNG)



NIGHTWATCH BLUE (2) (RNL)

(1) Non metallic paint(2) Metallic paint

	Mineral White QNG	Carmen Red 719	Urban Grey KPW	Jet Black GND	Mocha CNB	Highland Grey KQA	Oyster Grey KNG	Nightwatch Blue RNL
Business	•	•	•	0	0	0	0	0
Business+	•	-	-	0	0	0	0	0

# Wheels







15" SCRIPT WHEELS

15" BRIGANTIN WHEEL TRIMS

15" ARIA ALLOY WHEELS<sup>†</sup>

	Kangoo Van Business	Kangoo Van Business+	Kangoo Maxi Business	Kangoo Maxi Business+	Kangoo Van Z.E. 33 and Kangoo Maxi Van Z.E. 33
15" SCRIPT wheels	•	-	•	-	-
15" BRIGANTIN wheel trims	-	•	-	•	•
15" ARIA alloy wheels <sup>†</sup>	0	0	0	0	-

<sup>•=</sup> Standard (therefore no cost) O= Optional -= Not available † Must be ordered with front & rear disc brakes

# Choosing the right Kangoo Van for you

For prices, please refer to the Renault Van Price Guide available at your local dealer and on www.renault.co.uk/vans

#### KANGOO VAN - PANEL VAN

VERSIONS	CO <sub>2</sub> (g/km) <sup>†</sup>	Combined fuel consumption (mpg) <sup>†</sup>	Load volume (m³)	Max. payload (kg)
BUSINESS				
L2H1				
ML19 ENERGY dCi 80 Business MY19	118	62.8	3.0	650
ML19 ENERGY dCi 95 Business MY19	117	64.2	3.0	650
ML19 ENERGY dCi 115 Business MY19	122	61.4	3.0	650
ML20 ENERGY dCi 95 Business MY19	117	64.2	3.6	800
L3H1				
LL21 ENERGY dCi 95 Business MY19	122	61.4	4.0	800
LL21 ENERGY dCi 115 Business MY19	125	58.9	4.0	800
BUSINESS+				
L2H1				
ML19 ENERGY dCi 95 Business+ MY19	117	64.2	3.0	650
ML19 ENERGY dCi 115 Business+ MY19	122	61.4	3.0	650
ML20 ENERGY dCi 95 Business+ MY19	117	64.2	3.6	800
L3H1				
LL21 ENERGY dCi 95 Business+ MY19	122	61.4	4.0	800
LL21 ENERGY dCi 115 Business+ MY19	125	58.9	4.0	800

#### KANGOO VAN - CREW VAN

VERSIONS	CO <sub>2</sub> (g/km) <sup>†</sup>	Combined fuel consumption (mpg) <sup>†</sup>	Load volume (m³)	Max. payload (kg)
BUSINESS				
L3H1				
LL21 ENERGY dCi 95 Crew Van Cab Business MY19	TBC	TBC	2.4	740
LL21 ENERGY dCi 115 Crew Van Cab Business MY19	TBC	TBC	2.4	740
BUSINESS+				
L3H1				
LL21 ENERGY dCi 95 Crew Van Cab Business+ MY19	TBC	TBC	2.4	740
LL21 ENERGY dCi 115 Crew Van Cab Business+ MY19	TBC	TBC	2.4	740

#### **KANGOO VAN Z.E. 33**

VERSIONS	CO <sub>2</sub> (g/km) <sup>†</sup>	Power unit output kW (bhp)	Load volume (m³)	Max. payload (kg)
PANEL VAN BUSINESS				
L2H1				
ML20 i Z.E. 33	0	44 (60)	3.0	625
L3H1				
LL21 i Z.E. 33	0	44 (60)	4.0	605
CREW VAN BUSINESS				
.3H1				
L21 i Z.E. 33	0	44 (60)	1.3	640
CREW VAN CAB BUSINESS				
_3H1				
LL21 i Z.E. 33	0	44 (60)	2.4	639

<sup>†</sup> Official fuel consumption figures are produced for comparability purposes; only compare figures with vehicles tested to the same technical procedures. Actual real-world driving results may vary depending on factors such as weather conditions, driving styles, vehicle load or any accessories fitted after registration. WLTP is a new test used for fuel consumption and CO<sub>2</sub> figures, however the CO<sub>2</sub> and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from WLTP to NEDC. \*All prices shown are the manufacturer's recommended retail prices. The "On The Road" price Includes delivery to the dealer premises, number plates, one one-litre bottle of oil and one four-litre bottle of AdBlue® start of the Consumption figures are based on the outgoing NEDC test cycle which have been back-translated from WLTP to NEDC. \*All prices shown are the manufacturer's recommended retail prices. The "On The Road" price Includes delivery to the dealer premises, number plates, one one-litre bottle of oil and one four-litre bottle of AdBlue® start of the Consumption figures are based on the outgoing NEDC test cycle which have been back-translated from WLTP to NEDC. \*All prices shown are the manufacturer's recommended retail prices. The "On The Road" price Includes delivery to the dealer premises, number plates, one one-litre bottle of oil and one four-litre bottle of AdBlue® start of the Consumption figures are based on the outgoing NEDC test cycle which have been back-translated from the CO<sub>2</sub> and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from the CO<sub>2</sub> and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from the CO<sub>2</sub> and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from the CO<sub>2</sub> and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from the CO<sub>2</sub> and fuel consumption figures are b

## Equipment and options

		BUSINESS		BUSINESS+		
	MWB	LWB	Crew Van	MWB	LWB	Crew Van
BASICS						
Airbag - front passenger <sup>(5)</sup>	0	0	0	0	0	0
Airbag - front lateral (thorax) & front passenger	0	0	0	0	0	0
Increased payload (max. 800kg) (4) (6) (18)	0	-	-	0	-	-
Interior side door panel	0	0	•	0	0	•
Rear disc brakes (3)	0	•	•	0	•	•
Tow bar (13-pin)	0	0	0	0	0	0
Tyre repair kit (standard on Crew Van Z.E. versions) (23)	0	0	0	0	0	0
SAFETY						
Anchorage points in load area (2 additional)	0	-	-	0	-	-
All-weather tyres (12)	0	_	-	0	_	_
Automatic headlights and wipers with front fog lights	-	-	-	0	0	0
Bulkhead - fixed grille on the back of rear seats (Crew Van only) (7)	-	-	0	-	-	0
Bulkhead - swivelling with folding passenger seat	0	0	-	0	0	-
Bulkhead - tubular	0	0	-	0	0	-
Front fog lights	0	0	0	0	0	0
Load area rubber floor covering	0	0	0	•	0	0
CONNECTIVITY						
R-LINK Evolution multimedia system, TomTom® Live services 1-year subscription, application store and ECO2 driving menu, 2x15W DAB radio, CD, MP3 player with separate display and Bluetooth® connection (1)	0	0	0	0	0	0
TomTom® Live services 3-year subscription (9)	0	0	0	0	0	0
TomTom® Live satellite navigation system Western Europe map upgrade (9)	0	0	0	0	0	0
COMFORT						
Central console with plastic armrest	0	0	0	•	•	•
Climate control with automatic headlight and wipers (10) (17)	-	-	-	0	0	0
Cruise control with speed limiter	0	0	0	0	0	0
Electric front windows - driver's side one-touch descending	0	0	0	•	•	•
Engine speed limiter (56mph OR 62mph OR 68mph)	0	0	0	0	0	0
Leather steering wheel	-	-	-	0	0	0
Manual air conditioning with pollen filter (11)(18)	0	0	0	•	•	•
Overhead parcel shelf	0	0	0	•	•	•
Rear parking sensors	0	0	0	•	•	•
Smoker pack	0	0	0	0	0	0
STYLE						
15" ARIA alloy wheels	0	0	0	0	0	0
Extra tinted glass in rear windows (18)	0	0	0	0	0	0
Metallic paint	0	0	0	0	0	0
Sport front bumper with silver insert (19) (22)	0	0	0	0	0	0
Standard bumper	0	0	0	0	0	0
ELECTRIC						
Additional heating unit (16)	0	0	0	-	-	-
Body-coloured front bumper (13)(21)	0	0	0	-	-	-
Charging cable 32A (IEC 629196 - Type 2 Mennekes) 6m	•	•	•	-	-	-
EVSE Cable for 10 amp charging for domestic 3-pin plug	0	0	0	-	-	-
Manual air conditioning and pollen filter with heat pump	0	0	0	-	-	-
My Z.E.Connect - 3-year renewal subscription (1-year free subscription) (9)	0	0	0	-	-	_

<sup>• =</sup> Standard (therefore no cost) o = Optional -= Not available #Manufacturer's recommended retail prices.

(1) For list of compatible Bluetooth devices visit https://www.renault.co.uk/services/multimedia/bluetooth-compatibility.html (2) Please note for Crew Van only, ordering glazed side loading doors could make your vehicle liable for VAT. You are advised to contact your local tax authority (3) Only available on ML19, ENERGY dCi 80 and ENERGY dCi 95 only (4) Standard on ML20 and LL21 versions (5) Can be deactivated (6) Must be ordered with rear disc brakes (7) Not available on Crew Van Cab (8) Not available on Kangoo Z.E. 33. Must be taken with mud and snow tyres (9) Can only be ordered with Renault R-LINK Evolution multimedia system (10) Not available with full-steel bulkhead (11) Standard on ENERGY dCi 115 versions (12) Not compatible with ML20 versions and with alloy wheels (will be replaced by new tyres) (13) Not available in Carmen Red (14) Must be taken with glazed side loading doors (15) Not compatible with auto closing doors and proximity radar type 4 (16) Not compatible with multipositional bulkhead and Crew Van Cab versions (17) Replaces manual air conditioning (18) Not available on Kangoo Z.E. 33 (19) Must be taken with front fog lights (20) Requires overhead parcel shelf (21) Not compatible with sports bumper (22) Not compatible with body-coloured front bumper

## Doors and Windows

For prices, please refer to the Renault Van Price Guide available at your local dealer and on www.renault.co.uk

	MWB	LWB	Crew Van
Left side loading door - unglazed	•	•	•
Right side loading door - unglazed	0	•	•
Glazing for left and right side loading doors non opening windows each (for both sides)	0	0	0
Opening windows for left and right glazed side loading doors	0	0	0
Glazed rear quarter panels	0	0	0
Rear doors - 180° unglazed	•	•	•
Rear doors - 180° glazed with rear wipers and rear heated window	0	0	0
Rear tailgate - glazed with rear wipers and rear heated window	0	-	-

● = Standard (therefore no cost) O = Optional - = Not available

Kangoo Z.E. 33 Crew Van and Crew Van Cab comes standard with left and right glazed side loading doors with opening windows






# Kangoo Van MY19 Dimensions

### DIMENICIONIC (MM)

	Payload^	671 kg - 775 kg
	Load volume	3.0/3.6m <sup>3</sup>
Α	Wheelbase	2,697
В	Overall length	4,282
C	Front overhang	875
D	Rear overhang	710
Ε	Front track width	1,521
F	Rear track width	1,534
G	Overall width (without mirrors)	1,829
G1	Overall width (with mirrors)	2,138
Н	Unladen height	1,805 to 1,844
H1	Height with opened rear doors	1,872 to 1,934
J	Sill Height	588 to 609
K	Ground Clearance (unladen)	157 to 210
K1	Ground Clearance (laden)	143 to 172
М	Elbow room	1,510
Ν	Front interior width	1,464
Q1	Rear interior height	1,251
Υ	Rear width-top	1,141
Y1	Rear width-bottom	1,219
Y2	Width between wheel arches	1,218
Z	Loading height	1,129
Z1	Loading length	1,476
Z2	Loading length at floor / with option folding passenger seat	1,731 / 2,502









<sup>^</sup>Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass, Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to a 5% manufacturing tolerance and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, can result in a higher Kerb Mass and reduced Payload, and may increase CO2 and decrease MPG figures.



# Kangoo Van MY19 Technical Specifications

	ENERGY dCi 80	<b>ENERGY dCi 95</b>	ENERGY dCi 115
ENGINE			
Engine type		K9K	
niection type		Direct (Turbo) Common Rail	
uel type		Diesel	
Number of cylinders		4	
lumber of valves		8	
Particle Filter		Yes	
1 day engine power kW (hp)	59 (80) at 3,750	70 (95) at 3.750	85 (115) at 3,750
Aax torque Nm (rpm)	210 (1,750)	230 (1,750)	260 (1,750)
	210 (1,750)	230 (1,730)	200 (1,750)
SEARBOX			
ype	TL4	TL4	TL4
umber of Forward Gears	6	6	6
ehicle speeds (mph) at 1000 rpm: in 1st gear	4.6	4.6	4.6
ehicle speeds (mph) at 1000 rpm: in 2nd gear	8.8	8.8	8.8
ehicle speeds (mph) at 1000 rpm: in 3rd gear	14.0	14.0	14.0
ehicle speeds (mph) at 1000 rpm: in 4th gear	20.4	20.4	20.4
ehicle speeds (mph) at 1000 rpm: in 5th gear	26.2	26.2	26.2
ehicle speeds (mph) at 1000 rpm: in 6th gear	30.6	30.6	30.6
everse	4.6	4.6	4.6
TEERING			
urning circle between kerbs		10.7	
Turns lock-to-lock (PAS)		3.2	
DRIVE TRAIN			
ype		Traction	
		raccion	
TYRES		10F (CF D1F 01T/0FT	
yre size (ML19/ML20)		195/65 R15 91T/95T	
BRAKING SYSTEM			
ront disc brakes (mm) (Diameter/Thickness)	280/24	280/24	280/24
ear drum (T) or disc (mm) (Diameter/Thickness)	T9"	T9"	274/11
ehicle with increased payload Front disc brakes (mm) (Diameter/Thickness)	-	280/24	280/24
ehicle with increased payload Rear disc brakes (mm) (Diameter/Thickness)	=	274/11	274/11
ERFORMANCE			
faximum speed (mph)	96	102	109
cceleration 0-62 mph std veh. (s)	15.2	12.3	9.9
	13.2	. 2.3	
UEL CONSUMPTION AND EMISSIONS*	110	117	177
O <sub>2</sub> Emissions (g/km)	118	117	122
ombined - mpg	62.8	64.2	61.4
UEL TANK CAPACITY			
uel tank capacity - gallons (I)		13.2 (60)	
dBlue tank capacity (l)		17.4	
VEIGHT (KG)			
erb weight (min./max.)	1,309	1,309 / 1,314	1,320 / 1,325
ross vehicle weight (ML19 / ML20)	1,980	1,980 / 2,100	1,980 / 2,100
ross train weight	3,030	3,030 / 3,150	3,030 / 3,150
verage maximum payload^ (ML19/ML20)	671	671 / 786	660 / 775
nbraked trailer capacity	690	690	695 / 700
raked trailer capacity	1,050	1,050	1,050
	1,050	1,050	1,050
ERVICING INTERVALS			
Service Intervals		18,000 miles / 2 years	
VARRANTY			
Varranty	3 years / 10	0,000 miles warranty 3 years road si	ide assistance
<del> </del>			

<sup>\*</sup>Official fuel consumption figures are produced for comparability purposes; only compare figures with vehicles tested to the same technical procedures. Actual real-world driving results may vary depending on factors such as weather conditions, driving styles, vehicle load or any accessories fitted after registration. WLTP is a new test used for fuel consumption and CO, figures, however the CO, and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from WLTP to NEDC. 'Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to a 5% manufacturing tolerance and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, could result in a higher Kerb Mass and a reduced Payload, and may increase CO<sub>2</sub> and decrease MPC figures.

# Kangoo Maxi Dimensions

DIMENSIONS (MM)		Maxi Panel Van	Maxi Crew Van	Maxi Crew Van with multipositional bulkhead	
	Average Payload^	800 kg	740 kg	740 kg	
	Load volume	4.0m <sup>3</sup> to 4.6m <sup>3</sup>	1.3m <sup>3</sup> to 3.4m <sup>3</sup>	2.4m <sup>3</sup> to 3.6m <sup>3</sup>	
Α	Wheelbase	3,081	3,081	3,081	
В	Overall length	4,666	4,666	4,666	
C	Front overhang	875	875	875	
D	Rear overhang	710	710	710	
E	Front track width	1,521	1,521	1,521	
F	Rear track width	1,533	1,533	1,533	
G	Overall width (without mirrors)	1,829	1,829	1,829	
G1	Overall width (with mirrors)	2,138	2,138	2,138	
H	Unladen height	1,810 to 1,836	1,802 to 1,826	1,802 to 1,826	
H1	Height with opened rear doors	1,893 to 1,920	1,878 to 1,902	1,878 to 1,902	
	Sill Height	575 to 601	563 to 586	563 to 586	
K	Ground Clearance (unladen)	170 to 212	170 to 212	170 to 210	
K1	Ground clearance (laden)	145 to 172	145 to 172	150 to 172	
M	Elbow room (front/rear)	1,510/-	1,510 / 1,539	1,510 / 1,539	
N	Front interior width (front/rear)	1,464/-	1,464 / 1,507	1,464 / 1,507	
Q1	Rear interior height	1,252	1,154	1,154	
Y	Rear width- top	1,141	1,141	1,141	
Y1	Rear width-bottom	1,219	1,219	1,219	
Y2	Width between wheel arches	1,218	1,145	1,145	
Z	Loading height	1,129	1,129	1,129	
Z1	Loading length	1,862	1,008	1,361	
Z2	Loading length at floor / with option folding passennger seat	2,115 / 2,886	1,328 /2,210	1,432 / 2,043	









<sup>^</sup>Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to a 5% manufacturing tolerance and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, can result in a higher Kerb Mass and reduced Payload, and may increase CO<sub>2</sub> and decrease MPG figures.



## Kangoo Maxi MY19 Technical Specifications

	MAXI PA	MAXI PANEL VAN		V VAN		
	ENERGY dCi 95	ENERGY dCi 115	ENERGY dCi 95	ENERGY dCi 11		
NGINE						
igine type	ŀ	K9K K9K				
ection type		Direct (Turbo) Common Rail				
el type		Diesel				
umber of cylinders		4				
umber of valves		8				
article Filter		Yes				
ax engine power kW (hp)	70 (95) at 4,000	85 (115) at 4,000	70 (95) at 4,000	85 (115) at 4,000		
ax torque Nm (rpm)	230 (1,750)	260 (1,750)	230 (1,750)	260 (1,750)		
EARBOX						
pe	TL4	TL4	TL4	TL4		
umber of Forward Gears	6	6	6	6		
hicle speeds (mph) at 1000 rpm: in 1st gear	4.6	4.6	TBC	TBC		
hicle speeds (mph) at 1000 rpm: in 2nd gear	8.8	8.8	TBC	TBC		
hicle speeds (mph) at 1000 rpm: in 3rd gear	14.0	14.0	TBC	TBC		
hicle speeds (mph) at 1000 rpm: in 4th gear hicle speeds (mph) at 1000 rpm: in 5th gear	20.4 26.2	20.4 26.2	TBC TBC	TBC TBC		
enicle speeds (mpn) at 1000 rpm: in 5th gear Phicle speeds (mph) at 1000 rpm: in 6th gear		30.6	TBC	TBC		
verse	4.6	4.6	TBC	TBC		
	4.0	4.0	TDC	TDC		
reering						
urning circle between kerbs		10.7 3.2				
irns lock-to-lock (PAS)		3	.2			
RIVE TRAIN						
rpe		Trac	tion			
YRES						
re size		195/65 R15 95T				
RAKING SYSTEM						
ont disc brakes (mm) (Diameter/Thickness)	280/24					
ear disc brakes (mm) (Diameter/Thickness)		274/11				
ERFORMANCE						
aximum speed (mph)	101	108	101	108		
cceleration 0-62 mph std veh. (s)	12.3	12.3	12.3	12.3		
· · · · · · · · · · · · · · · · · · ·	12.2	.2.2	. 2.3	12.5		
UEL CONSUMPTION AND EMISSIONS*	122	125	TBC	TBC		
D <sub>2</sub> Emissions (g/km)	61.4	125 58.9	TBC	TBC		
mbined - mpg (litres/100km)	01.4	36.9	IBC	IDC		
JEL TANK CAPACITY						
uel tank capacity - gallons (l)	13.2 (60)					
dBlue tank capacity (l)		17.4				
EIGHT (KG)						
erb weight	1,406	1,418	TBC	TBC		
oss vehicle weight	2,200	2,200	TBC	TBC		
oss train weight	3,250	3,250	TBC	TBC		
rerage maximum payload^	794	782	TBC	TBC		
nbraked trailer capacity	740	745	740	745		
aked trailer capacity	1,050	1,050	1,050	1,050		
ERVICING INTERVALS						
ervice Intervals		18,000 miles / 2 years				
/ARRANTY						
arranty	7	3 years / 100,000 miles warranty 3 years road side assistance				
-arrancy	5 years / 100,000 miles warranty - 5 years road side assistance					

<sup>\*</sup>Official fuel consumption figures are produced for comparability purposes; only compare figures with vehicles tested to the same technical procedures. Actual real-world driving results may vary depending on factors such as weather conditions, driving styles, vehicle load or any accessories fitted after registration. WLTP is a new test used for fuel consumption and CQ<sub>2</sub> figures, however the CQ<sub>2</sub> and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from WLTP to NEDC. APayload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass is the weight of the weight of the document of the or a 5% manufacturing tolerance and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, could result in a higher Kerb Mass and a reduced Payload, and may increase CQ<sub>2</sub> and decrease MPG figures.

## Accessories







#### Roof Rack Version available for each size of van, carries up to 80kg and easy to use design – side bars for tying down, no front cross bar.

Standard Roof Bars Steel bars finished in black PVC, carries up to 80kg load and designed specifically for and by Renault.

Rear Window Protection Grilles Protects the vehicle from break-ins through the rear windows / doors whilst allowing visibility.





Thanks to further testing, Renault have made sure that your vehicle won't be damaged, even with intensive commercial towbar use. Renault also take the most demanding climatic conditions into account by applying an anti-corrosion surface treatment.



Ply Lining

Protect the interior of your new Kangoo with our hardwearing, bespoke ply lining. The price includes fitting by Renault.



Rear Body Coloured Parking Sensors

Allows you to park with confidence. Not compatible with factory fit rear parking sensors.

For prices, please refer to the Renault Van Price Guide available at your local dealer and on www.renault.co.uk

## Accessory Range

**OPTIONS CHEVRONS** Full Rear Chevrons Full Rear Chevrons without Window Panel Lower Half Height Chevrons Magnetic Chevron Kangoo **SAFETY** DeadLock Kit - Front Door DeadLock Kit - Passenger Front Door DeadLock Kit - Side Loading Door DeadLock Kit - Passenger Side Side Loading Door DeadLock Kit - Glazed Side Loading Door DeadLock Kit - Glazed Passenger Side Side Loading Door DeadLock Kit - Rear Door Deadlock 4 Door Set - Driver, Passenger, Side Loading, Rear Doors Deadlock 2 Door Set - Side Loading, Rear Doors SlamLock 2 Door Set - Side Loading, Rear Doors ProtektaPlate 4 Door Set - Driver, Passenger, Side Loading, Rear Doors ProtektaPlate 2 Door Set - Side Loading, Rear Doors ArmourShell 2 Door Mini Set - Side Loading, Rear Door - Black Alarm Kenwood Dashcam I-Care MULTIMEDIA Focal Music Speakers 4.0 TRANSPORT & TOWING Transversal roof bars Roof Rack L1 Roof Rack L2 Towing Kit - Fixed Tow Bar and Wiring Loom **READY 4 WORK** Standard Storage System - includes Standard offside Racking with Safety Floor **PROTECTION** Ply Lining - Kangoo Van MWB Ply Lining - Kangoo Van LWB Ply Lining - Kangoo Crew Van LWB Ply Lining - Kangoo Z.E. MWB Ply Lining - Kangoo Z.E. LWB Ply Lining Kangoo Z.E. Crew LWB Rear Window Protection Grilles Rear Body Coloured Parking Sensors Front Body Coloured Parking Sensors (1 Rubber Mats Textile Mats Z.E.

Charging cable 10A, domestic use (3 pin)

# Renault Pro+, the specialist brand



Renault have been part of the LCV market for over a century and we pride ourselves on providing you with versatile and innovative solutions in both our products and services.

Our award winning products, services and commitments give us a strong foundation to inspire further creative innovations. We have created a specialist brand, Renault Pro+ Commercial Vehicles, to offer you a tailored approach to suit all your business needs. As our customer, you deserve a high quality experience and we strive to achieve this.

### Renault Services

### **3 Years Warranty**

Your vehicle is covered by a warranty package for up to 3 years from date of first registration (unlimited mileage during the first 24 months, followed by a further 1 year limited to a total mileage of 100,000). Your Renault Dealer or Renault Z.E. Dealer is able to repair or replace without charge, parts that are found to have a material or assembly defect that is recognised by Renault. The paintwork warranty runs for 3 years and the anti-corrosion warranty for 12 years.

For Warranty Terms and Conditions please visit www.renault.co.uk/warranty.

### 3 Years Renault Assistance

Should you need it, we'll provide emergency roadside repairs or tow you to the nearest Renault Dealer or Renault ZE Dealer. This service is available 24 hours a day and is provided for 36 months from the date of first registration (or the duration of the battery lease for Kangoo Z.E. if greater than 36 months). Assistance is provided within the UK & Northern Ireland only at roadside, home and includes national recovery and onward travel. Assistance applies to mechanical or electrical defects which are covered by warranty.

For Renault Assistance and Renault Z.E. Assistance Terms and Conditions please visit www.renault.co.uk/assistance.

### Service Intervals

Kangoo Diesel Service: 2 years / 18,000 miles Kangoo Z.E. Service: Year 1 / 12,500 miles, Year 2 / 25,000 miles and then every 2 years / 25,000 miles thereafter

### **Renault Network Services**

No-one is better placed than Renault to maintain, fit and repair your Renault, fast. The Renault Minute (maintenance and repair with no appointment necessary) and Renault Rapide Bodycare (bumper scuffs, dings and dents, windscreen, stone chips and interior repairs...) services deliver the highest level of repair and maintenance and offer a full year's guarantee on Original Renault Parts. And don't forget to have a look at our wide range of additional equipment and accessories!

### Renault iCare

Renault iCare is an innovative Service, Maintenance & Repair product that supplies Business customers with a fully supported, managed hassle free service and maintenance package.

Renault iCare is a "Pay-As-You-Go" product that insures your vehicle is maintained by Renault technical experts when work is required.

iCare provides the following benefits:

- Full Service, Maintenance & Repair cover in the Renault Dealer Network
- Tyres can be included within the contract at an additional fixed cost
- Ancillary equipment can also be included (at an additional fixed monthly cost)
- Excludes: Damage/Neglect/Abuse/Glass & Bulbs
- · A fixed, pre agreed pence per mile rate
- No excess mileage charges at the end of the contract
- · No pooled mileage administration
- · Minimalise downtime

For more information and to obtain a quote based on your requirements, please speak to your local Renault Business dealer or visit www.renault.co.uk/icare

### **Customer Relations**

Renault knows the value of communicating with its customers and we have established effective ways to keep in touch with you. If, after speaking to your local Renault dealership, you are not completely satisfied, please contact the Renault UK Customer Relations Department on 0344 3350000† (Mon-Fri 9.00am to 5.30pm, except Weds 10.00am to 5.30pm. Closed on Bank Holidays). You can also visit our website www.renault.co.uk or write to us at: Renault UK Ltd, The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth, Hertfordshire, WD3 9YS.

### Finance options\*

There are a wide variety of ways in which the purchase of a new vehicle can be financed. Renault Finance offers all of them, so whether you're a fleet buyer or private buyer, Renault Finance is ideally placed to tell you which plan or combination of plans best suits your needs and circumstances.



# Continue the Renault Kangoo experience at **www.renault.co.uk/vans**

Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Renault U.K. reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given or the photos displayed. It is therefore necessary to check with your Renault Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised. The colours that appear in this document may differ slightly from the actual paint and upholstery colours.

Renault recommends

**Prodigious**